

### Part number list

WG12232B-□□□-□□#

### Pin Assignment

Pin No.	Symbol	Description
1	V <sub>DD</sub>	Power supply for logic
2	V <sub>SS</sub>	Ground
3	V <sub>O</sub>	Contrast Adjustment
4	RES	Controller reset signal, Active Low
5	E1	Enable signal
6	E2	Enable signal
7	R/W	Read/Write select signal
8	A0	Data/Instruction select signal
9	DB0	Data bus line
10	DB1	Data bus line
11	DB2	Data bus line
12	DB3	Data bus line
13	DB4	Data bus line
14	DB5	Data bus line
15	DB6	Data bus line
16	DB7	Data bus line
17	A	Power supply for B/L +
18	K	Power supply for B/L -

### Feature

1. Built-in controller SBN1661G or equivalent
2. Built-in oscillation
3. +5V single power supply
4. 6800 interface
5. FFC
6. There is 1mm gap between upper 16 lines and lower 16 lines.

### Mechanical Data

Item	Standard Value	Unit
Module Dimension	65.4 x 28.2	mm
Active Area	48.76 x 15.32	mm
Dot Pitch	0.40 x 0.45	mm
Dot Size	0.36 x 0.41	mm

### Electrical Characteristics

Item	Symbol	Standard Value	Unit
		typ.	
Input Voltage	VDD	5.0	V
Recommended LCD Driving Voltage for Normal Temp. Version module @25°C	VDD-VO	4.70	V

### Mechanical Drawing

